



! " # \$

% & ' ( % ) \* + \*

, - % . / 0 1 2 3 4 5 6 7

, - 8 9 : ; < = > ? @ A B C D E

F G ! " H I J K L M N O P Q R S T U V W / X O

BYZ [

I J \ ] % &

' ( %

! " ^ &

' ( % ' ( %

! " \_ `

a b c d \_ ` ! "

! " h i

N e f G g \*

! " j k

N e f G g \*

t u u p v w x y 4 5 6 7 z { | 6 7  
} ~ q •

¥ 1 5



l m n

o p q r s





! " # \$

% & ' ( % ) \* + \*

! " j k

! " | J € •

I J Z [ I J € •  
V W O X , f , ... / O

† ‡

hi ^ ! 5  
% ^ Š  
% < Œ

• Ž • • ' \_\_\_\_\_

! " hi e' ! " " " • - | - ~

! " ™ Š \_\_\_\_\_ > œ \_\_\_\_\_

•

ž Ÿ

ž • | φ

£

α

¥

| ¥

§

.. © ¥

a

.. © | ¥

.. © | ¥

.. © | ¥

.. © §

.. © §

« .. §

.. © ¥

.. © - - • ..

™ • Ž • • ' ® - ž Ÿ ° ž • | φ ° £

° α ° § ° ¥ ° | ¥

™ • Ž • • ' ® -



! " # \$

% & ' ( % ) \* + \*


AfPS (德国产品安全委员会):GS 认证对多环芳香烃的要求

参数	1 类 设计意图为放入口中的材料或者玩具上与皮肤接触的材料 (接触时间大于30秒).	2 类 未在 1 类规定中涵盖的材料,且可能与皮肤接触时间大于 30 秒的材料 (长时间接触皮肤)或频繁接触皮肤.		3 类 未在 1 和 2 类规定中涵盖的材料,且可能与皮肤接触的少于 30 秒的材料(短期接触皮肤)	
		2009/48/EC 中适用的玩具	产品安全法涉及的其他产品	2009/48/EC中适用的玩具	产品安全法涉及的其他产品
苯并(a)芘 (BaP) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
苯并(e)芘 (BeP) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
苯并(a)蒽 (BaA) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
苯并(b)荧蒽 (BbF) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
苯并(j)荧蒽 (BjF) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
苯并(k)荧蒽 mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1



! " # \$

%& ' ( % ) \* + \*






! " # \$

%& ' ( % ) \* + \*

| J ±²



³ ±² ´ 5µ¶ ¸ · # \$ , " # \$ ' "

